


Collins

When it matters,
choose Collins.



Product Catalog

collinsdollies.com



Collins Hi-Speed® Dollies have been the industry leaders for more than 45 years. Because we go where you go, rain, snow, gravel or highways, you don't get to choose the job location and neither do we. Collins Dollies are easy to use and focused on safety for you, the customer, and the vehicles. **When it matters,**
choose Collins.

Hi-Speed[®] Dolly Lines

HERO

DESIGNED FOR HEAVY USE

Includes:

- Tires + Greaseable Aluminum Hubs
- Aluminum Wheels
- Zinc-Plated Steel Cross Rails
- Aluminum Pry Bar




PRO

WORLD'S MOST POPULAR

Includes:

- Tires + Greaseable Aluminum Hubs
- Aluminum Wheels
- Aluminum Cross Rails
- Aluminum Pry Bar
- Tie-Down Straps




REPO

**DESIGNED FOR
REPO PROFESSIONALS**

Includes:

- Tires + Greaseable Aluminum Hubs
- Steel Wheels
- Aluminum Cross Rails
- Aluminum Pry Bar
- Tie-Down Straps



**When it matters,
choose Collins.**




TABLE OF CONTENTS

4-6 CARRIER DOLLY SYSTEMS

7-10 COMPLETE DOLLY KITS

11-17 DOLLY FRAMES & COMPONENTS

18-19 CROSS RAILS (AXLES)

20-21 CROSS RAIL COMPONENTS & PART NUMBERS

22-27 WHEEL ASSEMBLIES

28-30 DOLLY MOUNTS

31 TUNNEL BOXES

32-33 PUSH BUMPERS

34-35 COLLINS PRODUCT REGISTRATION

CARRIER DOLLY




CD-S

Carrier Dolly System includes:

- 1 pair - Aluminum Carrier Dollies
- 1 pair - Tie Down Straps, (4-pieces)
- 1 - Aluminum Tow Bar
- 1 pair - Bed Ramps
- 1 - Zinc-plated Steel Pry Bar
- 1 - Aluminum Motorcycle Hook Adaptor

Qty: set



CD-QS

Qty: set

Carrier Dolly Quad System includes:

- All of the above plus:
- 2nd pair - Aluminum Carrier Dollies
- 2nd pair - Tie-Down Straps (4-pieces)

Qty: set



CD-CD/L

CD-CD/R

1 Aluminum **C**arrier **D**olly - **L**eft or **R**ight
Telescopic nine-hole, 2,000 lb capacity
(includes one CD-TD Tie-Down Strap)
Qty: each



CD-PB

Zinc-plated Steel 36" **P**ry **B**ar
Qty: each



CD-BR

1 pair - **B**ed **R**amps - 24" each
Qty: pair



CD-TDS

Tie-**D**own **S**trap
(1 Ratchet, 1 Hook Strap)
Qty: pair



CD-MH

Aluminum **M**otorcycle
Tow **H**ook Adaptor
Qty: each



CD-TB

Aluminum **T**ow **B**ar - 64" wide
2,000 lb vertical lift capacity
Qty: each



CD-TC

One pair Aluminum **T**ow **C**radles
Used for Carrier Dollies as well as all
Makes of highway dollies - Adjustable
Qty: pair



Pat. No. 8,337,135

WHEN
LOAD CAPACITY
MATTERS
Choose Collins



HSD-H5D

Hi®Speed Dolly HERO

Includes:

- 2- DFZ-SLHA
- 4- WA-5DA
- 5- WA-LNC (per wheel)
- 2- CR-T5Z
- 1- DFZ-PBA5
- 2- DF-TDS



HSD-H4D

Hi®Speed Dolly HERO

Includes:

- 2- DFZ-SLHA
- 4- WA-4DA
- 5- WA-LNC (per wheel)
- 2- CR-T5Z
- 1- DFZ-PBA
- 2- DF-TDS



* White lettering added for emphasis in photo only

HSD-P5D

Hi®Speed Dolly PRO

Includes:

- 2- DFZ-SLHA
- 4- WA-5DA
- 5- WA-LNC (per wheel)
- 2- CR-T6
- 1- DFZ-PBA5
- 2- DF-TDS




HSD-P4D

Hi®Speed Dolly PRO

Includes:

- 2- DFZ-SLHA
- 4- WA-4DA
- 5- WA-LNC (per wheel)
- 2- CR-T6
- 1- DFZ-PBA
- 2- DF-TDS



* White lettering added for emphasis in photo only

HSD-P4C

Hi[®]Speed Dolly PRO

Includes:

- 2- DFZ-SLHA
- 4- WA-4CA
- 5- WA-LNC (per wheel)
- 2- CR-T6
- 1- DFZ-PBA
- 2- DF-TDS



HSD-R4D

Hi[®]Speed Dolly REPO

Includes:

- 2- DFZ-SLHA
- 4- WA-4DS
- 5- WA-LNC (per wheel)
- 2- CR-T6
- 1- DFZ-PBA
- 2- DF-TDS



* White lettering added for emphasis in photo only

HSD-R4C

Hi[®]Speed Dolly REPO

Includes:

- 2- DFZ-SLHA
- 4- WA-4CS
- 5- WA-LNC (per wheel)
- 2- CR-T6
- 1- DFZ-PBA
- 2- DF-TDS



Hi-Speed Dolly[®]

DFZ-SLHA

Dolly Frame Zinc - SLZ
Assembled with:
Hubs Aluminum: Greaseable -OR-
Hubs Steel Only



DFZ-SLB

Dolly Frame Zinc - SLZ
Assembled with **Bare Spindles**



DFZ-SL

Dolly Frame Zinc - SLZ
Self-Loading Dolly (body only)



WHEN
SAFETY
MATTERS
Choose Collins

DFX-SA/L

Spindle Assembly/Left - DLZ Dollies
Zinc Plated
Includes Machined Shoulder Bolt Assembly
(Safety Ratchet not included)
Qty: each



DFX-SA/R

Spindle Assembly/Right - DLZ Dollies
Zinc Plated
Includes Machined Shoulder Bolt Assembly
(Safety Ratchet not included)
Qty: each



DFZ-SSB

Spindle Shoulder Bolt Assembly - SLZ Dollies
Includes Splined-Sleeve Nut and Lock Washer
(Zinc Plated)
Qty: each



DFZ-TSB

Trip Shoulder Bolt Assembly
SLZ Dollies
Includes Splined-Sleeve Nut and Lock Washer
(Zinc Plated)
Qty: each



DFX-SA/L

Spindle **A**ssembly/**L**eft - **SLX** Dollies
Includes Machined Shoulder Bolt
Qty: each



DFX-SA/R

Spindle **A**ssembly/**R**ight - **SLX** Dollies
Includes Machined Shoulder Bolt
Qty: each



DFX-SSB

Spindle Assembly Grade 8 Hardened
Machined **S**houlder **B**olt - **SLX** Dollies
Includes Lock Nut
Qty: each



DFX-TSB

Trip Assembly Grade 8 Hardened
Machined **S**houlder **B**olt - **SLX** Dollies
Qty: each



DFZ-RA/L

Ratchet Assembly/Left - SLZ Dollies
(New Style) 2006-Present
(Zinc Plated)
Qty: each



DFZ-RA/R

Ratchet Assembly/Right - SLZ Dollies
(New Style) 2006-Present
(Zinc Plated)
Qty: each



DFZ-TA/L

Trip Assembly/Left - SLZ Dollies
Includes: Shoulder Bolt, Sleeve Nut,
and Spring
Qty: each



DFZ-TA/R

Trip Assembly/Right - SLZ Dollies
Includes: Shoulder Bolt, Sleeve Nut,
and Spring
Qty: each



DFZ-TS/L

Trip **S**pring/**L**eft - **SLZ** Dollies
Qty: each



DFZ-TS/R

Trip **S**pring/**R**ight - **SLZ** Dollies
Qty: each



DF-TDS

Safety **T**ie-**D**own **S**traps - Lasso Style
w/ Ratchet Buckles
(For Components/Set)
Designed for SL Hi-Speed® Dollies
Qty: pair



Photo Credit DOUG Medlyn

“ When the competition says they must have a flatbed.

I count on my equipment to perform and Collins Dollies have excelled at the challenge.

~DOUG Medlyn



DF-PBA

Pry Bar - 1" Square Aluminum
Length: 5 ft - 52 cm
Weight: 5.9 lb - 2.7 kg
Material: 6061- T6 Aircraft Grade Aluminum
Qty: each



DF-PBA5

Pry Bar - 1" Square Aluminum
w/ slight bend
Length: 5 ft - 52 cm
Weight: 5.9 lb - 2.7 kg
Material: 6061- T6 Aircraft Grade Aluminum
Qty: each



DF-SLK

Safety Lock Kit
Includes DF-SLZ, DF-SLS,
DF-SLB, DF-SLP, DF-SLH
Qty: each



DF-SLH

Safety Lock Handle
Qty: each



DF-SLB

Safety **L**ock **B**all



DF-SLS

Safety **L**ock **S**pring



DF-SLP

Safety **L**ock **R**oll **P**in



DF-SLZ

Safety **L**ock **G**rease **Z**erk



CR-T5

Cross Rail - Telescopic, 5-Hole, Painted Steel

OD collapsed: 61"

ID extended: 84' Usable

Qty: each



Shown here with **Zinc Plating** **CR-T5Z**

CR-T5S

Cross Rail - Telescopic, 5-Hole, Painted Steel

OD collapsed: 61"

ID extended: 84' Usable

(Set of two)



Shown here with **Zinc Plating** **CR-T5SZ**



Getting it done

Best I've ever used, won't buy anything else

~Pearson Recovery



WHEN
ALL-WEATHER
MATTERS

Photo Credit Pearson Recovery

CR-T6

Cross Rail - Telescopic, 6-Hole, Aluminum
OD collapsed: 61"
ID extended: 84' Usable
All T6s come with Zinc-Plated End Pieces
Qty: each



CR-T6S

Cross Rail - Telescopic, 6-Hole, Aluminum
OD collapsed: 61"
ID extended: 84' Usable
All T6s come with Zinc-Plated End Pieces
(Set of two)



CR-MRA

Male Rail Aluminum (Inner Axle Tube)
Qty: each



CR-FRA

Female Rail Aluminum (Outer Axle Tube)
Qty: each



CR-RPX

Rail Plunger, Stainless Steel
(Compression Spring)
Qty: each



CR-RSX

Rail Spring (Compression Spring)
Qty: each



CR-RE

Rail End for Steel Cross Rails
(Zinc Plated, One-piece Cast)
Qty: each



CR-REA

Rail End for Aluminum Cross Rails
Includes Plastic Inserts
(Zinc Plated, One-piece Cast)
Qty: each



CR-REB

**Rail End Bolt & Lock Nut for
Aluminum Cross Rails**
(Stainless Steel)
Qty: pair



CR-RP

Rail Plunger, Stainless Steel
(CR-Old Style-Slotted)
Qty: each



CR-RS

Rail Spring (CR-Old Style - Flat Spring)
Qty: each




Photo Credit Justin Bullock

“ **Easy Peasy Lemon Squeezy**

Quick work for stuck vehicle. Throw them on and go! “Get YA some ACTION”

~Justin Bullock

”

WA-4DA

4.80X8 Load Range C Tire (760 lb - 345 kg)
on **Diamond-Cut Finish Aluminum Wheel**
Qty: each



WA-5DA

5.70X8 Load Range D Tire (1070 lb - 485 kg)
on **Diamond-Cut Finish Aluminum Wheel**
Qty: each



WA-4CA

4.80-C Aluminum Wheel
"Carlisle Sport Trail"
Qty: each



WA-4CS

4.80-C Steel Wheel "Carlisle Sport Trail"
Qty: each



WA-4DS

4.80-D Steel Wheel "Collins Hi®Speed"
Qty: each



WA-4TC

4.80x8 Tire Only, Load Range C
(760lb - 345kg)
Qty: each



WA-4TD

4.80x8 Tire Only, Load Range D
Qty: each



WA-5TD

5.70x8 Tire Only, Load Range D
(1070lb - 485kg)
Qty: each



WA-4WA

8" Wheel, 5-Hole, Slotted,
Diamond-Cut Finish, Aluminum
Qty: each

Pat. No. 7,673,887



WA-WSS

8" Wheel, 5-Hole, Slotted,
Silver-Coated, Steel
Qty: each



WA-HCA

Hub Complete, Aluminum, 5-Lug, Slotted,
Greaseable, Polished
Installed: Races, Packed Bearings, Grease Seal
Included: Cotter Pin, Dust Cover
Qty: kit



WA-HCS

Hub Complete, Steel, 5-Lug, Painted
Installed: Races, Packed Bearings, Grease Seal
Included: Cotter Pin, Dust Cover
Qty: each



WA-BK

Bearing Kit

- 1- Dust Cover
- 1-Cotter Pin
- 2-Races
- 2-Bearings
- 1-Grease Seal



WA-BK-A

Bearing Kit

- 1- Dust Cover
- 1-Cotter Pin
- 2-Bearings
- 1-Grease Seal



WA-BC

Bearing Cup - pair (Race #L44610)
Qty: pair



WA-BR

Bearing Roller - pair (Bearing #L44643)
Qty: pair



WA-GS

Grease Seal - Spring Loaded
(#TRP-GS-1250DL)
Qty: each



WA-DC

Dust Cup (1.98" Diameter Dust Cover)
Qty: 4 pcs



WA-CP

Cotter Pin (3/32" x 2")



No wheels no problem

They are the best dollies I have ever used

~Jonathan Reed



WHEN
PERFORMANCE
MATTERS



Photo Credit Jonathan Reed


WA-CN

Castle Nut (1" Slotted Spindle Nut)
Qty: 4 pcs



WA-LN

Lug Nut - each (1/2"-20x3/4")
Qty: 5 pcs



WA-LNC

Lug Nut Chrome Capped
each (1/2"-20x3/4")
Qty: 5 pcs



WA-VS

Valve Stem (Chrome)



DM-CDR

Dolly Mount - (Combination Dolly-Cross Rail)
Qty: pair



DM-PM

Dolly Mount - Parallel-Motion
(Articulating)
Qty: set

Pat. No. 5,346,357



DM-SL

Dolly Mount - Self-Loading w/Tire Cradles
(Articulating)
Qty: set

Pat. No. 5,209,628



DM-SL4

Dolly Mount (4.80 Short - 4")
Qty: pair



DM-SL4Z

Dolly Mount (4.80 Short - 5")
For SLZ Dollies
Qty: pair



DM-SL5

Dolly Mount (5.70 Short - 5")
Qty: pair



DM-SL5Z

Dolly Mount (5.70 Short - 6")
For SLZ Dollies
Qty: pair

Pat. No. 5,209,628



DM-CRL

Dolly Mount - (Cross Rail - Locking)
Qty: pair



DM-SLH

Dolly Mount (4.80 Short - 4")



DM-PMH

Dolly Mount - (Parallel-Motion - Half)



DM-CRLT

Dolly Mount
(Cross Rail - Locking "T" Handle Side)



DM-CRLR

Dolly Mount
(Cross Rail - Locking "Rest" Side)



TUNNEL BOXES

All Collins Tunnel Boxes comes standard with steel or aluminum construction, and weather-proof, flush-mounted doors. Optional polished aluminum diamond plate and stainless steel trims available.



Tunnel Box with Drop-Down Compartment



Radius Top Optional



Tunnel Box with Drop-Down Dolly Compartment and Slide-Out Tray



Tunnel Box with 6" Step Down



PB-FD05

Ford 250-F550 Push Bumpers 05-07



PB-FD04-15

Ford 150 Push Bumpers 2004-2008



PB-CH08-55

Chevy 4500-5500 Push Bumpers 2008



PB-CH08

Chevy 2500-3500 Push Bumpers 2008-2010



PB-DG11

Dodge 3500-5500 Push Bumpers 2011-



COLLINS MANUFACTURING CORP ("CMC")


Register your product to receive an extended warranty

Thank you for choosing Collins to meet your towing needs.

As the industry leader and the towers choice for more than 45 years, we believe Collins Dollies (CMC products) are the highest quality professional towing equipment on the market. Our customers enjoy easy, safe operations of our Hi-Speed Dolly and Carrier Dolly systems to manage the most difficult towing challenges. We use high-quality materials to provide decades of durability while remaining lightweight for easy maneuverability, that why when it matters, you choose Collins.

Standard Warranty

We back all of our Collins Dollies products with a **one-year limited warranty** covering defects in materials and workmanship of your CMC product.



Hi-Speed[®] Dolly

Extended Warranty Available to First-User Purchasers with Product Registration


By registering your CMC product with us, we'll extend the limited warranty for a full second year--giving you a full 24 months of peace of mind. To activate the additional year of warranty coverage, submit the following registration form to Collins within ____ days of purchase. (Additional 12 months of warranty coverage is only available to the first-user purchaser.)

REGISTRATION FORM

Purchaser Name:	
Mailing Address:	
Email:	
Purchase Date:	
Where was the product purchased from? (Business name and/or website)	
Product Serial Number:	
Product and Model:	

COLLINS MANUFACTURING CORP ("CMC")

**Register your product to receive
an extended warranty**




1. Are you a first-time customer of Collins Dollies?
 Yes
 No
2. Is this purchase a replacement for a previously owned product?
 Yes, replacing a Collins Dollies product.
 Yes, replacing another brand product. (Brand: _____)
 No
3. Is this purchase for a new truck?
 Yes
 No
4. How did you learn about Collins Dollies?
 Friends or Family Member
 In-Person Dealer
 Online Retailer
 Social Media
 Magazine or Publication
 On the Job
 Other: _____

SUBMIT YOUR COMPLETED FORM TO:

By Mail:
Collins Manufacturing Corporation
301 Ehrman Way
Medford, OR 97501

Or Scan and Email:
sales@collinsdollies.com



CARRIER DOLLY

Collins

collinsdollies.com

301 Ehrman Way, Medford OR 97501

Toll Free: 1 (800) 332 - 9220

Office: 1 (541) 774 - 9220

Fax: 1 (541) 774 - 9222

Email: sales@collinsdollies.com