

# Collins

2025 Product Catalog



Hi-Speed® Dollies · Carrier Dollies · Towing Necessities

***Just like you, we know what it means to do what others can't and go where others won't.***

We've gone by many names—Collins Manufacturing, Collins Dollies, Collins. The name Collins, comes from my grandfather, who started the business over 50 years ago. Collins and his brother built heavy equipment to help transport large logs over long distances and rough terrain from the forests to the mills. His experience as both a driver and manufacturer paved the way for building a new product that would safely lift and carry vehicles long distances, at highway speeds, in any kind of weather and terrain, revolutionizing the towing industry with the Collins self-loading dolly (also known as the Hi-Speed® Dolly).

Due to this history, the Collins name means something to us. When you choose Collins Dollies to support your business and family, you're also supporting ours. In turn, we're committed to providing you with the very best: honest marketing and fair pricing, superior materials and thoughtful design, high performance and lasting durability, personal customer service, and an unmatched warranty. That is why, when it matters, Collins is the professional tower's choice.

As you'll see in this brand-new 2025 catalog, our product family extends beyond dollies to truck boxes, storage and organization, towing accessories, and more! Our Southern Oregon manufacturing facility strives to do our very best in all that we do and build the best products—it's in our name and in our DNA.

Welcome to the Collins family of towing equipment, and thank you for choosing Collins!

***- Chris Usher, General Manager & Owner***



# Collins

TABLE OF CONTENTS

|       |  |
|-------|--|
| 4-7   | COLLINS CARRIER DOLLY SYSTEMS                                  |
| 8-25  | COLLINS HI-SPEED® DOLLIES                                      |
| 10-13 | G7 HI-SPEED® DOLLY SETS & COMPONENTS                           |
| 14-15 | G7X SUPER DOLLY  |
| 16-21 | SLZ HI-SPEED® DOLLY SETS & COMPONENTS                          |
| 22-25 | CROSS RAIL AXLES & COMPONENTS                                  |
| 26-28 | WHEEL ASSEMBLIES & TIRES                                       |
| 29-35 | TRUCK STORAGE  |
| 29-32 | DOLLY MOUNTS   |
| 33    | DOLLY BUNKS  |
| 33    | CHAIN BOX  |
| 34    | STREAMLINER BOXES  |
| 35    | TUNNEL BOXES   |
| 36-37 | ACCESSORIES  |
| 36    | SAFE T-CAN AND MOUNTS  |
| 37    | TOW CRADLES  |
| 37    | PUSH BUMPERS   |
| 38    | PRODUCT WARRANTY & REGISTRATION FOR EXTENDED TWO YEAR WARRANTY |



### CARRIER DOLLY



The Collins Carrier Dolly provides an easy-to-use, elegant solution for getting EVs, AWDs, Exotics, and low clearance vehicles onto a flat bed carrier.

Made with aircraft-grade aluminum, the Collins Carrier Dolly provides:

- » **MORE CLEARANCE:** Perfect for low-clearance or hookless vehicles.
- » **DAMAGE FREE:** No hooks, chains, or cables touching the vehicle.
- » **MORE WITH LESS:** Works well for EVs, AWDs, Hybrids, High-End, and Low-Clearance cars; all while doubling as a motorcycle dolly.

A set of Standard Carrier Dollies has a load capacity of 4,000 lbs and can accommodate tires up to 10" wide.

Wide Carrier Dollies are built for wider tires with a 14" wide tread flap and have a load capacity of 6,400 lbs per set of two dollies.



Check out the  
Carrier Dolly  
demonstration video  
and see how to load  
a motorcycle with  
just one person!





**CD-S****Carrier Dolly System includes:**

- 1 pair - Standard Aluminum Carrier Dollies
- 1 pair - Tie Down Straps (4-pieces)
- 1 - Aluminum Tow Bar
- 1 pair - Bed Ramps
- 1 - Zinc-plated Steel Pry Bar
- 1 - Aluminum Motorcycle Hook Adaptor

**Qty: set**

Weight - 79 lbs

Load Capacity - 4,000 lbs; 2,000 lbs/dolly

**CD-QS****Standard Carrier Dolly Quad System includes:**


All of the above plus:

- 2nd pair - Standard Aluminum Carrier Dollies
- 2nd pair - Tie Down Straps (4-pieces)

**Qty: set**

Weight - 140 lbs

Load Capacity - 8,000 lbs; 2,000 lbs/dolly

**CD-QX****Standard x Wide Carrier Dolly Quad System includes:**

- 1 pair - Standard Aluminum Carrier Dollies  
(for use with the front wheels)
- 1 pair - Wide Aluminum Carrier Dollies  
(for use with the back wheels)
- 2 pairs - Tie-Down Straps (8-pieces)
- 1 - Aluminum Tow Bar
- 1 pair - Bed Ramps
- 1 - Zinc-plated Steel Pry Bar
- 1 - Aluminum Motorcycle Hook Adaptor

**Qty: set**

Weight - 140 lbs

Load Capacity - 10,400 lbs

Tire Width Capacity - 10" Standard &amp; 14" Wide



**Check out the  
Tow Cradle and  
Ball Joint Cradle  
on Page 37 that go  
with the Carrier Dollies!**



### CD-CDP


#### Carrier Dolly Second Pair includes:

1 pair - Standard Aluminum Carrier Dollies  
(includes a set of CD-TDS Tie-Down Straps)

#### Qty: pair

Weight - 60 lbs

Load Capacity - 4,000 lbs; 2,000 lbs/dolly



CD-CD/L

CD-CD/R

#### 1 Aluminum Carrier Dolly - Left or Right

Telescopic nine-hole, 2,000 lb capacity  
(includes one CD-TDS Tie-Down Straps)

#### Qty: each

Dimensions - 7.25"H x 22"W x 21"L

Weight - 25 lbs

Load Capacity - 2,000 lbs

### CD-WP

#### Carrier Dolly Wide Pair includes:

1 pair - Wide Aluminum Carrier Dollies  
(for use with the back wheels)

2nd pair - Tie-Down Straps

#### Qty: pair

Dimensions - 23.5"H x 24"W x 6.5"L

Weight - 60 lbs

Load Capacity - 6,400 lbs; 3,200 lbs/dolly



CD-W/S

#### 1 Wide Aluminum Carrier Dolly - Single Side (universal Right or Left)

Telescopic nine-hole, 3,200 lbs capacity  
(includes one CD-TDS Tie-Down Straps)

#### Qty: each

Dimensions - 6.5"H x 24"W x 23.25"L

Weight - 20 lbs

### CD-MS

#### Carrier Dolly Motorcycle Set includes:

1 - Standard Aluminum Carrier Dolly

1 pair - Tie-Down Straps

1 - Aluminum Tow Bar

1 - Bed Ramp

1 - Zinc-plated Steel Pry Bar

1 - Aluminum Motorcycle Hook Adaptor

#### Qty: set

Dimensions - 6.5"H x 24"W x 23.25"L

Weight - 20 lbs

Load Capacity - 2,000 lbs



**CD-PB**Zinc-plated Steel 36" **Pry Bar****Qty: each**

Weight - 2.5 lbs

**CD-BR**1 pair - **Bed Ramps** - 24" each**Qty: pair**

Weight - 4 lbs

**CD-TDS****Tie-Down Strap**

(1 Ratchet, 1 Hook Strap)

**Qty: pair**

Weight - 3.5 lbs

**CD-A**1 **Axle Assembly**  
for Standard  
Carrier Dolly**Qty: each**

Weight - 3 lbs

**CD-MH**Aluminum **Motorcycle**  
Tow **Hook** Adaptor**Qty: each**

Weight - 1 lb

**CD-TB**Aluminum **Tow Bar** - 64" wide  
2,000 lb vertical lift capacity**Qty: each**

Weight - 9 lbs

**CD-AB****Axle Assembly Bolt****Qty: each**

Weight - 2.3 oz

**CD-WB****Wheel Bolt****Qty: each**

Weight - 3.6 oz

**CD-WHL6**6" replacement wheel for  
Standard Aluminum  
**Carrier Dolly Wheel****Qty: pair**

Weight - 2 lbs

**CD-WHL5**5" replacement wheel for  
Wide Aluminum  
**Carrier Dolly Wheel****Qty: pair**

Weight - 1.5 lbs







**Collins**  
Hi-Speed® Dolly



**The World's Most Advanced® Dolly**



**Heavy Duty Dolly for Extreme Conditions and Uses**



**Hi-Speed® SLZ The World's Most Popular Dolly**



### **The Hardest Working Dolly** When Price and Performance Matter

Get the greatest performing and Most Advanced® dolly, without overpaying.

### **The ONLY Freeway Dolly** When Distance Matters

Collins Hi-Speed® Dollies are the ONLY APPROVED dollies for highway, freeway, and interstate roads. The Collins SLZ and G7 dollies are both rated for a max 65 mph while the G7X is rated for 75 mph. Only Collins Dollies are approved for unlimited distances. Other dollies explicitly state they are NOT approved for freeway use, speeds, nor distances.

### **The Highest Capacity Dolly** When Capacity Matters

|                 |                          |                   |
|-----------------|--------------------------|-------------------|
| 5.00E Capacity: | <b>Collins 5,000 lbs</b> | Others: None      |
| 5.70D Capacity: | <b>Collins 4,280 lbs</b> | Others: 4,000 lbs |
| 4.80D Capacity: | <b>Collins 3,968 lbs</b> | Others: 3,040 lbs |

### **The Safest Dolly** When Professionalism Matters

Collins' backup Safety Ratchet System (SRS), allows you to safely and comfortably raise heavier vehicles, operate in all types of weather, lift against walls, and has prevented countless accidents while raising and towing vehicles. Although highly recommended, they are secondary to raising the vehicle.

### **The Most User Friendly Dolly** When Versatility Matters

All Collins Cross Rail pairs work with all Collins dollies. Tires and wheels are interchangeable, so any size tire works with any dolly model. Collins Dollies are built for easy maintenance and repair; and are backed by the industry's best warranty and customer service. That means less downtime—and more time on the road.




### **The Widest Dolly** When Size Matters

Collins' T10 Cross Rails provide 90" of usable span. The T12 Cross Rails extend even wider, providing 104" of usable span, accommodating utility trailers, extra wide vehicles, boat trailers, and dually trucks. Only Collins provides patented double True Positive Camber, designed to keep loads safe and dolly wheels vertical, resulting in extended tire life.

### **The Lightest Dolly** When Health Matters

The scales don't lie. Collins offers the lightest-weight dollies in the industry, helping make the job easier, safer, and faster for operators.

## COLLINS HI-SPEED® DOLLY OPTIONS AND COMPARISON

| DOLLY   | DESCRIPTION  |  |  |
|---|--|--|--|
|  <b>The World's Most Advanced® Dolly</b>                 | <p>The Collins G7 Dolly was released in 2022 as our 7th generation dolly. It includes 40 upgrades, improvements, and changes including:</p> <ul style="list-style-type: none"> <li>» Industrial grade, self-lubricating, composite bushings leading to lower maintenance and greater longevity</li> <li>» CNC-machined solid steel shoulder bolts with mated ends that prevent separation or loosening</li> <li>» CNC machined spindles made from high-strength steel that provide increased resistance to misalignments</li> <li>» Updated handle offers a significantly better grip and enhanced carrying comfort</li> </ul> |  |  |
|  <b>Heavy Duty Dolly for Extreme Conditions and Uses</b> | <p>The G7X is built for extreme weather, off-road, and heavy duty use. It comes with:</p> <ul style="list-style-type: none"> <li>» Thicker, more durable steel construction built to withstand more abuse and deliver a longer lifespan</li> <li>» Steel hubs and higher capacity steel wheels</li> <li>» Extra-wide T12 Hybrid Cross Rails made with aluminum outer components and steel center-cambered components</li> <li>» Ultra heavy duty 5.00-8 Load Range E tires with high-traction aggressive tread, increased longevity, an impressive 5,000 lb load capacity, and a 75 mph speed rating</li> </ul>                |  |  |
|  <b>The World's Most Popular Dolly</b>                 | <p>The SLZ is Collins' tried-and-true, sixth generation dolly that's been around since 2016. If you are looking for a fully capable dolly at the most economical price in the market, the SLZ is the obvious choice.</p>   |  |  |

| Dolly      | Name    | Cross Rails                         | Wheels                          | Capacity  | Speed Rating | Weight        | Page |
|------------|---------|-------------------------------------|---------------------------------|-----------|--------------|---------------|------|
| HSD-G7-H5D | G7 H5D  | T12                                 | 5.70x8 D Rated                  | 4,280 lbs | 65 MPH       | 175 lbs (set) | 10   |
| HSD-G7-H4D | G7 H4D  | T12                                 | 4.80x8 D Rated                  | 3,968 lbs | 65 MPH       | 163 lbs (set) | 10   |
| HSD-G7X    | G7X     | T12 Hybrid Rails with Steel Inserts | 5.00x8 E Rated Aggressive Tread | 5,000 lbs | 75 MPH       | 228 lbs (set) | 14   |
| HSD-P5D    | SLZ P5D | T10                                 | 5.70x8 D Rated                  | 4,280 lbs | 65 MPH       | 176 lbs (set) | 16   |
| HSD-P4D    | SLZ P4D | T10                                 | 4.80x8 D Rated                  | 3,968 lbs | 65 MPH       | 160 lbs (set) | 16   |
| HSD-P4C    | SLZ P4C | T10                                 | 4.80x8 C Rated                  | 3,040 lbs | 65 MPH       | 156 lbs (set) | 16   |

\*All dolly sets come with two complete Dolly Frames, two Telescoping Cross Rail axles, an aluminum Pry Bar, and two Tie-Down Straps.

## Introducing the **Hi-Speed<sup>®</sup> Dolly**

The Collins G7 Hi-Speed<sup>®</sup> Dolly is our seventh-generation design since 1972 and our best yet. The G7 is designed to make your work easier and faster, combining comfort, durability, and high performance.

### Improved Spindle and Trip-Lock Assembly Bolts

This design allows the full assembly to rotate as one, thereby preventing bolts from backing out.

### Minimal Maintenance

Fully enclosed, self-lubricating bushings eliminate the need for grease, minimizing maintenance time, and maximizing towing time.

### Walk the Dolly

The redesigned pry pocket on the G7 spindle assembly allows the operator the option to "walk" the dolly in tight spaces, instead of carrying it, making it easier on the operator.

### Safety Ratchet System

The ratchet cam is injection molded with carbon fiber filament to hold up better against the elements and keep parts moving easily.

### Center Cambered Cross Rails


New 3-piece 90" T10, or wider 104" T12 cross rails that fit wider vehicles, trailers, and dually trucks.

### G7 Dolly Spindles

In-house CNC-machined from one-piece high-strength material, infusing precision and greater resistance to misalignment. Resulting in increased tire and bearing life.

### Motorcycle-Style Rubber Dolly Handle

More comfortable and ergonomic dolly handle for an improved grip and easier handling.



### NEW T12 Patented Center-Cambered Cross Rails



### Previous T6 Cambered Cross Rails






**G7 HI-SPEED® DOLLY PARTS**

| Item | Part#    | Description                          | Page |
|------|----------|--------------------------------------|------|
| A    | DF7-SL   | Dolly Frame Body Only, No Components | 12   |
| B*   | DF7-SA/L | Spindle Assembly LEFT                | 12   |
| B*   | DF7-SA/R | Spindle Assembly RIGHT               | 12   |
| C*   | DF7-TA/L | Trip-Lock Assembly LEFT              | 13   |
| C*   | DF7-TA/R | Trip-Lock Assembly RIGHT             | 13   |
| D    | DF7-TSB  | Trip Shoulder Bolt                   | 12   |
| E*   | DF7-RA/L | Ratchet Assembly LEFT                | 13   |
| E*   | DF7-RA/R | Ratchet Assembly RIGHT               | 13   |
| F    | DF7-SSB  | Spindle Shoulder Bolt                | 12   |
| G    | DF7-SLK  | Safety Lock Kit                      | 12   |
| H    | C-GRIP   | Collins Black Rubber Grip            | 13   |
| I    | DF7-HND  | Handle Kit - includes C-GRIP         | 13   |
| J    | DF7-LUB  | Self-Lubricating Bushings            | 13   |
| K    | DF7-PLU  | Plug                                 | 13   |

\*Comes in left and right-sided parts. Orientation based on tires/ wheels facing you



### DF7-SLHA

#### Dolly Frame - G7

Self-Loading Frame  
w/ Aluminum Hubs

**Qty: each**

Weight - 27.5 lbs



### DF7-SL

#### Dolly Frame - G7

Self-Loading Frame (body only)

**Qty: each**

Dimensions - 10"H x 5"W x 33.25"L

Weight - 15 lbs



### DF7-SA/L


#### Spindle Assembly/Left -

G7 Dollies Zinc Plated  
Includes Machined Shoulder  
Bolt Assembly

(Safety Ratchet not included)

**Qty: each**

Weight - 5 lbs 2 oz



### DF7-SA/R


#### Spindle Assembly/Right -

G7 Dollies Zinc Plated  
Includes Machined Shoulder  
Bolt Assembly

(Safety Ratchet not included)

**Qty: each**

Weight - 5 lbs 2 oz



### DF7-SSB

#### Spindle Shoulder Bolt Assembly -

G7 Dollies

Includes long full length, square-facing  
sleeve nut and bolt assembly

(Zinc Plated)

**Qty: each**

Weight - 5.02 oz



### DF7-TSB

#### Trip Shoulder Bolt Assembly -

G7 Dollies

Includes short full length, square-facing  
sleeve nut and bolt assembly

(Zinc Plated)

**Qty: each**

Weight - 3.4 oz



### DF7-RS

#### Ratchet Spring

G7, SLZ, X Dollies

(Zinc Plated)

**Qty: each**

Weight - 0.6 oz



### DF7-SLK

#### Safety Lock Kit

**Qty: set**

Weight - 2.1 oz



**DF7-RA/L****Ratchet Assembly/Left - G7 Dollies**

(New Style) 2006-Present

(Zinc Plated)

**Qty: each**

Weight - 4.9 oz

**DF7-RA/R****Ratchet Assembly/Right - G7 Dollies**

(New Style) 2006-Present

(Zinc Plated)

**Qty: each**

Weight - 4.9 oz

**DF7-TA/L****Trip-Lock Assembly/Left - G7 Dollies**

Includes: Shoulder Bolt, Sleeve Nut, and Spring

**Qty: each**

Weight - 1.5 lbs

**DF7-TA/R****Trip-Lock Assembly/Right - G7 Dollies**

Includes: Shoulder Bolt, Sleeve Nut, and Spring

**Qty: each**

Weight - 1.5 lbs

**C-GRIP****Collins Black Rubber GRIP****Qty: each**

Weight - 3.7 oz

**DF7-HND****Handle Kit****Qty: each****DF7-LUB****Self Lubricating Bushing Kit****Qty: kit**

Weight - 0.4 oz

**DF7-PLU****Plug****Qty: each**

Weight - 0.1 oz

Check [collinsdollies.com](http://collinsdollies.com) for the latest product updates and news.





### Introducing the **Super Dolly** HSD-G7X

Originally designed for Canada's harsh off-road winters, the Collins G7X Super Dolly is built for extreme conditions and heavy-duty use. While the Collins G7 is the ultimate in professional dolly towing, the G7X goes further with iron-packed heavy-duty superpowers for the roadside superhero, tackling the toughest conditions and wrecker jobs.


- » **MAXIMUM STRENGTH:** Durable steel hubs and eXtreme capacity steel wheels--the strongest available in the industry.
- » **MAXIMUM SPAN:** Only Collins' patented "True Positive Camber" T12 Hybrid Cross Rails with steel center-cambered inner components and adjustable aluminum outer components can eXtend to 104".
- » **MAXIMUM CAPACITY:** With aggressive, high-traction Load Range 'E' tires, an industry-leading 5,000 lbs capacity, and a 75 mph speed rating, the Collins G7X Super Dolly is perfect for on-road, off-road, and eXpressways, towing eXtreme distances in eXtreme weather.



**G7X SUPER DOLLY PARTS**

| Item | Part#     | Description                          |
|------|-----------|--------------------------------------|
| A    | DF7X-SL   | Dolly Frame Body Only, No Components |
| B*   | DF7X-SA/L | Spindle Assembly LEFT                |
| B*   | DF7X-SA/R | Spindle Assembly RIGHT               |
| C*   | DF7X-TA/L | Trip-Lock Assembly LEFT              |
| C*   | DF7X-TA/R | Trip-Lock Assembly RIGHT             |
| D    | DF7-TSB   | Trip Shoulder Bolt                   |
| E*   | DF7X-RA/L | Ratchet Assembly LEFT                |
| E*   | DF7X-RA/R | Ratchet Assembly RIGHT               |
| F    | DF7-SSB   | Spindle Shoulder Bolt                |
| G    | DF7X-SLK  | Safety Lock Kit                      |
| H    | C-GRIP    | Collins Black Rubber Grip            |
| I    | DF7-HND   | Handle Kit                           |
| J    | DF7-LUB   | Self-Lubricating Bushings            |

\*Comes in left and right-sided parts. Orientation based on tires/wheels facing you








# SLZ<sup>®</sup> Hi-Speed Dolly

Collins Hi-Speed<sup>®</sup> Dollies are the Most Advanced<sup>®</sup> towing solution available due to their superior performance, adaptability, and safety features. With a high towing capacity and lightweight design for easy handling, they cater to various vehicle types, ensuring both operators and vehicles stay safe with an innovative Safety Ratchet System and True Positive Camber. The Collins Hi-Speed<sup>®</sup> Dolly is built with high-quality materials and expert workmanship providing efficiency, safety, and versatility for years of dependable service.






**SLZ HI-SPEED® DOLLY PARTS**

| Item | Part     | Description                          | Page |
|------|----------|--------------------------------------|------|
| A    | DFZ-SL   | Dolly Frame Body Only, No Components | 18   |
| B*   | DFZ-SA/L | Spindle Assembly LEFT                | 18   |
| B*   | DFZ-SA/R | Spindle Assembly RIGHT               | 18   |
| C*   | DFZ-TA/L | Trip-Lock Assembly LEFT              | 19   |
| C*   | DFZ-TA/R | Trip-Lock Assembly RIGHT             | 19   |
| D*   | DFZ-RA/L | Ratchet Assembly LEFT                | 19   |
| D*   | DFZ-RA/R | Ratchet Assembly RIGHT               | 19   |
| E    | DFZ-CPA  | Cover Plate Assembly                 | 21   |
| F    | DFZ-SSB  | Spindle Shoulder Bolt Assembly       | 19   |
| G    | DF-SLK   | Safety Lock Kit                      | 20   |
| H    | DF-GZ    | Grease Zerk (Spindle/Trip)           | 20   |

\*Comes in left and right-sided parts. Orientation based on tires/wheels facing you



### DFZ-SLHA

#### Dolly **F**rame **Z**inc - **SLZ**

Assembled with:

**H**ubs **A**luminum: Greaseable

**Qty: each**

Weight - 32 lbs



### DFZ-SL

#### Dolly **F**rame **Z**inc - **SLZ**

**S**elf-**L**oading Dolly (body only)

**Qty: each**

Weight - 17.5 lbs



### DFZ-SA/L

#### Spindle **A**ssembly/**L**eft -

**SLZ** Dollies Zinc Plated

Includes Machined Shoulder

Bolt Assembly

(Safety Ratchet not included)

**Qty: each**

Weight - 5 lbs 2 oz



### DFZ-SA/R

#### Spindle **A**ssembly/**R**ight -

**SLZ** Dollies Zinc Plated

Includes Machined Shoulder

Bolt Assembly

(Safety Ratchet not included)

**Qty: each**

Weight - 5 lbs 2 oz



**Check out the  
Tow Cradle and  
Ball Joint Cradle  
on Page 37 that go with the  
Hi-Speed® Dollies!**



**DFZ-SSB****Spindle Shoulder Bolt Assembly - SLZ Dollies**

Includes Splined-Sleeve Nut and Lock Washer  
(Zinc Plated)

**Qty: each**

Weight - 5 oz

**DFZ-TSB****Trip Shoulder Bolt Assembly - SLZ Dollies**

Includes Splined-Sleeve Nut and Lock Washer  
(Zinc Plated)

**Qty: each**

Weight - 2 oz

**DFZ-RA/L****Ratchet Assembly/Left - SLZ Dollies**

(New Style) 2006-Present  
(Zinc Plated)

**Qty: each**

Weight - 7.8 oz

**DFZ-RA/R****Ratchet Assembly/Right - SLZ Dollies**

(New Style) 2006-Present  
(Zinc Plated)

**Qty: each**

Weight - 7.8 oz

**DFZ-TA/L****Trip-Lock Assembly/Left - SLZ Dollies**

Includes: Shoulder Bolt, Sleeve Nut, and Spring

**Qty: each**

Weight - 1.5 lbs

**DFZ-TA/R****Trip-Lock Assembly/Right - SLZ Dollies**

Includes: Shoulder Bolt, Sleeve Nut, and Spring

**Qty: each**

Weight - 1.5 lbs

**DF-PBA****Pry Bar - 1" Square Aluminum**

Material: 6061- T6 Aircraft Grade Aluminum

**Qty: each**

Weight - 5.9 lbs

**DF-PBA5****Pry Bar - 1" Square Aluminum w/ slight bend for use with dollies with 5.00 and 5.70 wheels**

Material: 6061- T6 Aircraft Grade Aluminum

**Qty: each**

Weight - 5.9 lbs



### DF-SLK

#### Safety Lock Kit

Includes DF-SLZ, DF-SLS,  
DF-SLB, DF-SLP, DF-SLH

**Qty: each**

Weight - 1.8 oz



### DF-SLH

#### Safety Lock Handle

**Qty: each**

Weight - 1.4 oz



### DF-SLB

#### Safety Lock Ball

**Qty: each**

Weight - 0.1 oz



### DF-SLS

#### Safety Lock Spring

**Qty: each**

Weight - 0.1 oz



### DF-SLP

#### Safety Lock Roll Pin

**Qty: each**

Weight - 0.1 oz



### DF-SLZ

#### Safety Lock Grease Zerk

**Qty: pack of 4**

Weight - 0.1 oz



### DF-GZ

#### Grease Zerk

**Qty: pack of 4**

Weight - 0.1 oz



Check [collinsdollies.com](http://collinsdollies.com)  
for the latest product  
updates and news.

Legacy parts can be found on [collinsdollies.com](http://collinsdollies.com) under the Legacy G5 (formerly SLX dolly) section.



## DFZ-TS/L

**Trip Spring/Left**

**Qty: each**

Weight - 0.6 oz



## DFZ-TS/R

**Trip Spring/Right**

**Qty: each**

Weight - 0.6 oz



## DFZ-CPA

**Safety Cover Plate Assembly**

**Qty: pair**

Weight - 0.14 oz



## DF-TDS

**Safety Tie-Down Straps**  
w/ Ratchet Buckles

Designed for Collins Hi-Speed® Dollies

**Qty: pair**

Weight - 2 lbs 11.6 oz




WHEN

# SAFETY

# MATTERS


Choose Collins

### CROSS RAILS




Collins pioneered the use of telescoping Cross Rails with the very first pair of positive-cambered steel rails, debuting with the 1st-Generation Hi-Speed® Dolly in 1975. Today, Collins Cross Rails feature “True Positive Camber” with angled end pieces and center-cambered components which are compatible with all Collins Hi-Speed® Dolly generations and models.

### LENGTH COMPARISON




#### Collins T6 Cambered Cross Rails

Introduced in 1995, they changed dolly towing forever. Made with aircraft-grade aluminum and a true positive camber, they expand on one end and extend to 84" of usable width.



#### Collins T10 Center-Cambered Cross Rails

Introduced in 2022 with the 50th Anniversary Collins G7 Dolly, these double telescoping cross rails collapse shorter, but extend wider than the T6 with 90" of usable width. Like previous Collins Cross Rails, these feature a true positive camber - twice the camber of other dolly axles - one in the ends and one in the tubing material itself.



#### Collins T12 Center-Cambered Cross Rails

The T12 takes the patented design a step further with an exceptional 14" of additional length, extending to 104" of usable width. Very useful for accommodating wider vehicles, utility and boat trailers, and even dually trucks.




#### Collins T12 Center-Cambered Hybrid Cross Rails

Comes standard with the Collins G7X Dolly. With no tubular welds, included is a steel center making them even stronger—they're rated to 5,000 lb.

## COLLINS CROSS RAILS PARTS

| Item | Part       | Description                                | Page |
|------|------------|--|------|
| A    | CR-FRA-T12 | T12 Female Outer Axle                      | 24   |
| B    | CR-MRS-T12 | T12 Male Inner Axle Steel                  | 24   |
| C    | CR-MRA-T12 | T12 Male Inner Axle Aluminum               | 24   |
| D    | CR-FRA-T10 | T10 Female Outer Axle                      | 24   |
| E    | CR-MRA-T10 | T10 Male Inner Axle Aluminum               | 24   |
| F    | CR-REA     | Rail End (includes bolts)                  | 25   |
| G    | CR-REB     | Rail End Bolts                             | 25   |
| H    | CR-RPX     | Rail Plunger (button)                      | 25   |
| I    | CR-RSX     | Rail Spring                                | 25   |
| J    | CR-REH     | Cross Rail End Hanger <i>*not pictured</i> | 25   |





### CR-T12

**Cross Rail - Telescopic, 12-Hole,**  
Outside Dimension collapsed: 66"

Inside Dimension extended: 104" Usable

**Qty: each**

5.63" x 4.75 x 66" fully collapsed

or 106.625" fully extended

Weight - 27 lbs



\*Also available are the T12 Hybrid Cross Rails (CR-T12H), which come standard with the G7X Hi-Speed® Dolly. They feature a steel, center-cambered component that enhances strength and increases load capacity.  
Weight - 37 lbs

### CR-T10

**Cross Rail - Telescopic, 10-Hole,**  
Outside Dimension collapsed: 59"

Inside Dimension extended: 90" Usable

**Qty: each**

Weight - 24.5 lbs



Legacy cross rails can be found on [collinsdollies.com](http://collinsdollies.com).



Photo Credit Doug Medlyn

**“ When the competition says they must have a flatbed. ”**

I count on my equipment to perform and Collins Dollies have excelled at the challenge.

~Doug Medlyn

**CR-RPX****Rail Plunger, Stainless Steel  
(X-New Style)**

Reversible to a dome top or flat top

**Qty: each**

Weight - 2.9 oz

**CR-RSX****Rail Spring (X-New Style  
Compression Spring)****Qty: each**

Weight - 0.4 oz

**CR-REH**

**Rail End Hanger**  
for storing Cross Rail Axles  
inside of a wrecker tunnel box  
(Collins or others).  
Available with new dolly sets or  
retrofit to existing Cross Rails.  
(Collins TowArmor™ Powder Coated)

**Qty: pair**

Weight - 2.4 lbs

**CR-REA**

**Rail End**  
Includes Plastic Inserts  
(Zinc Plated, One-piece Cast)

**Qty: each**

Weight - 2.4 lbs



\*CR-RES, Rail End for Steel Cross Rails also available

**CR-REB**

**Rail End Bolt & Lock Nut**  
(Stainless Steel)

**Qty: pair**

Weight - 1.4 oz

**CR-RP**

**Rail Plunger, Stainless Steel  
(CR-Old Style-Slotted)**

**Qty: each**

Weight - 2.9 oz

**CR-RS**

**Rail Spring (CR-Old Style - Flat Spring)**

**Qty: each**

Weight - 1.0 oz



Check [collinsdollies.com](http://collinsdollies.com)  
for the latest product  
updates and news.

### WHEEL ASSEMBLY OPTIONS

| Item   | Description  | Weight   | Load Capacity |
|--------|--|----------|---------------|
| WA-4CA | Collins Hi-Speed® 4.80x8 load range "C" Tire on Collins Hi-Capacity Aluminum Wheel | 10.5 lbs | 760 lbs       |
| WA-4CS | Collins Hi-Speed® 4.80x8 load range "C" Tire on Collins Hi-Capacity Steel Wheel    | 11 lbs   | 760 lbs       |
| WA-4DA | Collins Hi-Speed® 4.80x8 load range "D" Tire on Collins Hi-Capacity Aluminum Wheel | 11 lbs   | 992 lbs       |
| WA-4DS | Collins Hi-Speed® 4.80x8 load range "D" Tire on Collins Hi-Capacity Steel Wheel    | 11.5 lbs | 992 lbs       |
| WA-5DA | Collins Hi-Speed® 5.70x8 load range "D" Tire on Collins Hi-Capacity Aluminum Wheel | 14 lbs   | 1,070 lbs     |
| WA-5DS | Collins Hi-Speed® 5.70x8 load range "D" Tire on Collins Hi-Capacity Steel Wheel    | 14.5 lbs | 1,075 lbs     |
| WA-5ES | Collins Hi-Speed® 5.00x8 load range "E" Tire on Collins Hi-Capacity Steel Wheel    | 14.5 lbs | 1,250 lbs     |

#### WA-4DA

Collins Hi-Speed®  
4.80 D Tire with  
Collins Hi-Capacity  
Aluminum Wheel



\* White lettering added for emphasis in photo only

#### WA-4CS

Collins Hi-Speed®  
4.80 C Tire with  
Collins Hi-Capacity  
Steel Wheel



#### WA-5DA

Collins Hi-Speed®  
5.70 D Tire with  
Collins Hi-Capacity  
Aluminum Wheel



#### WA-5ES

Collins Hi-Speed®  
5.00 E Tire with  
Collins Hi-Capacity  
Steel Wheel



Steel wheel color may vary.





WA-4TC

WA-4TD


WA-5TD

WA-5TE

TIRE SPECIFICATIONS

| Item   | Description                          | Weight  | Speed Rating | Capacity  |
|--------|--------------------------------------|---------|--------------|-----------|
| WA-4TC | 4.80x8 Load Range "C" Hi-Speed® Tire | 6.8 lbs | 65 MPH       | 760 lbs   |
| WA-4TD | 4.80x8 Load Range "D" Hi-Speed® Tire | 7 lbs   | 65 MPH       | 992 lbs   |
| WA-5TD | 5.70x8 Load Range "D" Hi-Speed® Tire | 11 lbs  | 65 MPH       | 1,075 lbs |
| WA-5TE | 5.00x8 Load Range "E" Hi-Speed® Tire | 6.4 lbs | 75 MPH       | 1,250 lbs |

\*Tire capacity is just one limiting factor of overall dolly weight capacity; the wheel, the dolly, and the cross rails also affect the overall load capacity.



Check [collinsdollies.com](http://collinsdollies.com) for the latest product updates and news.

### WA-BK

#### Bearing Kit for Steel Hubs

- 1 - Dust Cover
  - 1 - Cotter Pin
  - 2 - Races
  - 2 - Bearings
  - 1 - Grease Seal
- Weight - 10.8 oz



### WA-BK-A

#### Bearing Kit for Aluminum Hubs

- 1 - Dust Cover
  - 1 - Cotter Pin
  - 2 - Bearings
  - 1 - Grease Seal
- Weight - 8.4 oz



### WA-WDA

#### 8" Wheel, 5-Hole, Slotted, Diamond-Cut Finish, Aluminum

**Qty: each**  
Weight - 4 lbs

**Pat. No. 7,673,887**



### WA-WSB

#### 8" Wheel, 5-Lug, Slotted Wheel Steel, Black

**Qty: each**  
Weight - 4.5 lbs



### WA-HCA

#### Hub Complete, Aluminum, 5-Lug, Slotted, Greaseable, Polished

Installed: Races, Packed Bearings, Grease Seal  
Includes: Cotter Pin, Dust Cover

**Qty: kit**  
Weight - 2.6 lbs



### WA-HCS

#### Hub Complete, Steel, 5-Lug, Painted

Installed: Races, Packed Bearings, Grease Seal  
Includes: Lug Nuts, Cotter Pin, Dust Cover

**Qty: kit**  
Weight - 6.4 lbs



### WA-LS

#### Lug Studs

Replacement Lug Studs for use with all Collins wheels.  
Includes: enough for one wheel

**Qty: pack of 5**  
Height - 1.75"  
Weight - 1.64 oz each / 8.1 oz for set of 5



### WA-VS

#### Valve Stems

Replacement Valve Stems for all Collins wheels.

Includes: Valve with core, Rubber Grommet, Retaining Sleeve Nut, Washer, Cap

**Qty: pack of 4**  
Height - 1.625" top to bottom with cap on;  
1.4375" without cap; 1.375" washer to the top with cap on (protruberance from wheel when installed)  
Weight - 0.65 oz each / 2.6 oz for set of 4





Dolly Mounts



Self Loading  
Dolly Mount



DMP-SL-G2

DMZ-SL-G2

Dolly Mount -  
Self-Loading  
w/Tire Cradles  
(Articulating)

Qty: set  
Weight - 52 lbs

Pat. No. 5,209,628



DMP-SL-G2 with Collins TowArmor™  
Powder Coat finish pictured

SELF LOADING DOLLY MOUNTS SPECIFICATIONS

| Item      | Name                                    | Description  |
|-----------|---|--|
| DMP-SL-G2 | Self Loading Dolly Mount Gen 2 (Powder) | Gen 2 utilizes CNC precision to improve fitment and function of the original Self-Loading Dolly Mount by Collins. New modular-style construction adds the ability to replace damaged components. Composite bearings added to all pivots to reduce the maintenance of the dolly mount. Updated aluminum tire cradles are adjustable for any dolly size. |
| DMZ-SL-G2 | Self Loading Dolly Mount Gen 2 (Zinc)   |  |



### DMP-PM-G2

### DMZ-PM-G2

#### Dolly Mount - Parallel Motion

(Articulating)

**Qty: set**


Weight - 26 lbs

Pat. No. 5,346,357



*DMP-PM-G2 with Collins TowArmor™  
Powder Coat finish pictured*

#### Parallel Motion Dolly Mount



### PARALLEL MOTION DOLLY MOUNTS SPECIFICATIONS

| Item      | Name                                       | Description   |
|-----------|--|---|
| DMP-PM-G2 | Parallel Motion Dolly Mount Gen 2 (Powder) | The parallel motion dolly mount stows the dolly in a secure location further on the truck. All while reducing the strain on the operator. |
| DMZ-PM-G2 | Parallel Motion Dolly Mount Gen 2 (Zinc)   |   |

#### Auto Locking Mount



### DMP-AL4-JD

### DMZ-AL4-JD

#### Dolly Mount

Combo 4.80 SLZ - Jerr-Dan

**Qty: set**

Weight - 27 lbs



*DMP-AL4-JD with Collins TowArmor™  
Powder Coat finish pictured*

### AUTO LOCKING DOLLY MOUNTS SPECIFICATIONS

| Item       | Name  | Description   |
|------------|---|---|
| DMP-AL4-JD | Auto Locking Dolly Mount 4.80 (Powder)        | Single Mount for Hi-Speed® Dolly Frame, Cross Rail Axle & Pry Bar. Low profile allows the dolly to rock into the dolly mount. Top hasp automatically locks when rotated into place. Includes lock ring for adding your own pad lock for added security. For use with 4.80 Dollies.          |
| DMZ-AL4-JD | Auto Locking Dolly Mount 4.80 (Zinc)          |   |
| DMP-AL5-JD | Auto Locking Dolly Mount 5.00 / 5.70 (Powder) | Single Mount for Hi-Speed® Dolly Frame, Cross Rail Axle & Pry Bar. Low profile allows the dolly to rock into the dolly mount. Top hasp automatically locks when rotated into place. Includes lock ring for adding your own pad lock for added security. For use with 5.00 and 5.70 Dollies. |
| DMZ-AL5-JD | Auto Locking Dolly Mount 5.00 / 5.70 (Zinc)   |   |

DMP-CDR-S / DMZ-CDR-S

Dolly Mount  
(Collins TowArmor™  
Powder Coated) -  
Combination Dolly  
Qty: set  
Weight - 31.5 lbs



DMP-CDR-S with Collins TowArmor™  
Powder Coat finish pictured

Combo Mount  
Slanted



COMBO DOLLY MOUNTS - SLANTED SPECIFICATIONS

| Item      | Name   | Description  |
|-----------|--|--|
| DMP-CDR-S | Combo Dolly and Rail Mount- Slanted (Powder) | Single Mount for Hi-Speed® Dolly Frame, Cross Rail Axle & Pry Bar; Lockable for Secured Storage; Extra Height for clearing taller bed rails or other obstacles Single Cut & Bent Cradle; Hidden Welds for Seamless Look; Easy-Grab Slanted Dolly Stowage; Dri-Lube Bearing that's Self-Lubricating for Ease of Maintenance; Universal for 4.80 & 5.70 Tires. |
| DMZ-CDR-S | Combo Dolly and Rail Mount- Slanted (Zinc)   |  |

Combo Mount  
Gen 2



DMP-CG2-480 / DMZ-CG2-480

Dolly Mount  
(Collins TowArmor™  
Powder Coated) -  
Combination Dolly  
Qty: set  
Weight - 33 lbs



DMP-CG2-480 with Collins TowArmor™  
Powder Coat finish pictured

COMBO DOLLY MOUNTS GEN 2 SPECIFICATIONS

| Item        | Name  | Description  |
|-------------|---|--|
| DMP-CG2-480 | Combo Dolly and Rail Mount Gen 2 - 4.80 (Powder)  | Single Mount for Hi-Speed® Dolly Frame, Cross Rail Axle & Pry Bar; Lockable for Secured Storage; Extra Height for clearing taller bed rails or other obstacles; Single Cut & Bent Cradle; Hidden Welds for Seamless Look; Easy-Grab Slanted Dolly Stowage; Dri-Lube Bearing that's Self-Lubricating for Ease of Maintenance; Universal for 4.80, 5.00, and 5.70 Tires. |
| DMZ-CG2-480 | Combo Dolly and Rail Mount Gen 2 - 4.80 (Zinc)    |  |
| DMP-CG2-570 | Parallel Motion Dolly Mount Gen 2 - 5.70 (Powder) |  |
| DMZ-CG2-570 | Parallel Motion Dolly Mount Gen 2 - 5.70 (Zinc)   |  |

### DMP-CRL

### DMZ-CRL

**Dolly Mount -**  
(Collins TowArmor™  
**Powder Coated**)  
**Cross Rail - Locking**  
**Qty: set**  
Weight - 5 lbs



*DMP-CRLS with Collins TowArmor™  
Powder Coat finish pictured*

## Cross Rail Locking and Cross Rail Stepped Mounts

### CROSS RAIL STEPPED DOLLY MOUNTS GEN 2 SPECIFICATIONS

| Item     | Name                                      | Description   |
|----------|---|---|
| DMP-CRL  | Dolly Mount - Cross Rail Locking (Powder) | Wrecker bed storage for Collins Dollies Cross Rail Axles; Lockable pair of mounts with thumb screw for securing both Cross Rail Axles and Pry Bar; CNC precision cut and formed construction; Mounting holes for ease of installation; Solid lubrication bushing that's self-lubricating for ease of maintenance; Multi-stage Collins TowArmor™ Powder Coat for enhanced durability with matte black, textured finish or metallic Zinc Plating for durability and good looks. |
| DMZ-CRL  | Dolly Mount - Cross Rail Locking (Zinc)   |   |
| DMP-CRLS | Locking Rail Mount - Stepped (Powder)     |   |
| DMZ-CRLS | Locking Rail Mount - Stepped (Zinc)       |   |

### DMP-S5Z

### DMZ-S5Z

## Standing Mounts

**Dolly Mount**  
(5.0 or 5.7 - 6" tall)  
**Qty: pair**  
Weight - 9.5 lbs

*Also available in zinc plating,  
tall, and slanted versions*



*"DMP-S5Z with Collins TowArmor™  
Powder Coat finish pictured*

### STANDING DOLLY MOUNTS SPECIFICATIONS

| Item    | Name   | Description  |
|---------|--|--|
| DMP-S4Z | Dolly Mount (Powder Coated) - Standing 4.80 - 5" tall        | Collins Standing Dolly Mounts are the most popular and commonly used mounts for dollies. They are made with steel and then finished with Collins TowArmor™ Powder Coating in matte black textured finish or metallic Zinc Plating for durability and good looks. Standing mounts work universally for SLZ, G7, and G7X dollies and measure 5" tall for dollies with 4.80 sized tires or 6" for dollies with 5.0 or 5.70 sized tires. Standing dolly mounts are also available in slanted or tall versions (10" or 11") upon request. |
| DMZ-S4Z | Dolly Mount (Zinc Plated) - Standing 4.80 - 5" tall          |  |
| DMP-S5Z | Dolly Mount (Powder Coated) - Standing 5.0 or 5.70 - 6" tall |  |
| DMZ-S5Z | Dolly Mount (Zinc Plated) - Standing 5.0 or 5.70 - 6" tall   |  |



## DOLLY BUNKS

Save space on your wrecker deck with underbody dolly storage. Single-piece, heavy duty aluminum construction adds strength and an easy install without measuring and fitting separate pieces; the original dolly bunk from JD Cross with Collins craftsmanship.



### XR-DB4

**Dolly Bunk** for Dollies with  
**4.80** sized tires

**Qty: pair**

Weight - 16 lbs each




### XR-DB5

**Dolly Bunk** for Dollies with  
**5.70** or **5.0** sized tires

**Qty: pair**

Weight - 20.5 lbs each



## CHAIN BOX

Keep your chains organized and ready to use. Laser cut and precision formed steel box for hanging chains; Collins TowArmor™ Powder Coating for increased durability and good looks; built-in vertical mount for hanging on the back of the truck or with toolbox.

### XR-CB

**Chain Box**

**Qty: each**

(Dimensions: 4.1" x 10" x 17")

Weight - 10.5 lbs




Check [collinsdollies.com](http://collinsdollies.com)  
for the latest product  
updates and news.



### STREAMLINER BOXES

## *Streamliner*

Collins Streamliner Boxes are premium underbody boxes with top-tier features and durability. They include a built-in top tray, thick aluminum construction, full welding, an auto-locking latch connected to the vehicles lock/unlock, pre-installed interior lighting, a fender light, a door that doubles as a step, and an integrated quarter fender.



Collins Streamliner Boxes are premium underbody boxes with top-tier features and durability.



All boxes are 22" high x 21.125" deep.  
Boxes come in three length options: 48", 60", and 72".  
The Quarterfender is 38" long on top and 28" long on bottom.

## TUNNEL BOXES

All Collins Tunnel Boxes come standard with steel or aluminum construction, and weather-proof, flush-mounted doors. Optional polished aluminum diamond plate and stainless steel trims available.

Please contact Collins Sales for Tunnel Box options and pricing.



Tunnel Box with Drop-Down Compartment



Radius Top Optional



Tunnel Box with Drop-Down Dolly Compartment and Slide-Out Tray



Tunnel Box with 6" Step Down





### Introducing the SAFE T-CAN

Does the **T** in Safe T-Can stand for extra safety in **T**raffic, assisting **T**owers, tackling **T**rash, super **T**ough and durable, useful **T**ool, or just reference the **T**ightly sealed lid? Yes, yes it does!



*Pictured: Deck Mount*

The Collins Safe T-Can takes a trash can to the next level. It won't rust, won't dent, and won't rattle. With the secure, seal-tight lid, you can keep liquids in or out (so dry items stay dry). The Hi-Vis reflective safety markers on the can improve visibility and safety while on the truck, carrying, or out on the road; making it double as a backup safety cone. It includes a secure, seal-tight screw on lid, with comfortable and ergonomic handle, and a 5 gallon, high-quality caution pail. Great for storage, garbage, and dry or liquid clean-up.

#### XR-STC

**X** CrossRoads - **Safe T-Can**  
**Qty: set of 1 can and 1 lid**

Load / Capacity: 5 gal  
Dimensions: 13" x 13" x 18"



#### XR-CAN

**X** CrossRoads - **Can Only**  
(5 gallon bucket)  
**Qty: each**



#### XR-LID

**X** CrossRoads - **Lid Only**  
**Qty: each**



#### XR-STC-DM

**X** CrossRoads -  
**Safe T-Can**  
**Deck Mount**  
Brushed Aluminum finish  
**Qty: each**




#### XR-STC-BM

**X** CrossRoads -  
**Safe T-Can**  
**Bulk Head Mount**  
**Qty: each**



Add standard Collins TowArmor™ Powder Coat colors for \$5 or custom colors for \$10 (with minimum quantity of 10 mounts).





## TOW CRADLES



*Does not include  
Carrier Dolly shown*

### TC-D

#### One pair Aluminum Tow Cradles

Adjustable to fit any dolly including Hi-Speed® and Carrier dollies. Tow Cradles allow you to transport vehicles without wheels.

**Qty: pair**

Pat. No. 8,337,135



### TC-BJC

#### Tow Cradle - Ball Joint Cradle

The Ball Joint Cradle sits on top of the Tow Cradle and allows you to move vehicles with only a ball joint left.

**Qty: pair**



### TC-KIT

The Tow Cradle Kit comes with one Aluminum Tow Cradle and one Ball Joint Cradle.

**Qty: kit**



Pat. No. 8,337,135

## PUSH BUMPERS

Contact Collins at [sales@collinsdollies.com](mailto:sales@collinsdollies.com) for Push Bumper options and prices.

### COLLINS WARRANTY & PRODUCT REGISTRATION

Thank you for choosing Collins to meet your towing needs.

As the industry leader and the Towers Choice™ for over 50 years, we believe Collins Dollies are the highest quality professional towing equipment on the market. Our customers enjoy easy, safe operations of our Hi-Speed® Dolly and Carrier Dolly systems to manage the most difficult towing challenges. We use high-quality materials to provide decades of durability while remaining lightweight for easy maneuverability, that's why when it matters, you choose Collins.

#### Standard Warranty


We back all of our Collins Dollies products with a **one-year limited warranty** covering defects in materials and workmanship.

#### Extended Warranty Available to First-User Purchasers with Product Registration


By registering your Collins product with us, we'll extend the limited warranty for a full second year--giving you a full 24 months of peace of mind. To activate the additional year of warranty coverage, scan the QR code below (or visit the website listed), and fill out the two minute registration form within 90 days of purchase.

\*Additional 12 months of warranty coverage is only available to the first-user purchaser.

### Hi-Speed® Dolly



**COMPLETE AND SUBMIT YOUR FORM ONLINE:**



**CARRIER DOLLY**



[www.collinsdollies.com/productregistration](http://www.collinsdollies.com/productregistration)



# Collins

[www.collinsdollies.com](http://www.collinsdollies.com)

301 Ehrman Way, Medford OR 97501

Toll Free: 1 (800) 332 - 9220

Office: 1 (541) 774 - 9220

Fax: 1 (541) 774 - 9222

Email: [sales@collinsdollies.com](mailto:sales@collinsdollies.com)



[.com/collinsdollies](https://www.facebook.com/collinsdollies)



[@collinsdollies](https://www.tiktok.com/@collinsdollies)